WHAT I CLAIM IS :

1 - A device for automatically recognizing the voice of a speaker authorized to access an application, said device comprising means for generating beforehand, during a learning phase, parameters of an acceptance voice model relative to a voice segment spoken by said authorized speaker and parameters of a rejection voice model, means for normalizing by means of normalization parameters a speaker verification score depending on the likelihood ratio between a voice segment to be tested and said acceptance model and rejection model thereby driving a normalized verification score, and means for comparing said normalized verification score to a first threshold in order to authorize access to the application by the speaker who spoke said voice segment to be tested only if the normalized verification score is at least as high as the first threshold, and means for updating at least one said normalization parameters as a function of a preceding value of said one normalization parameter and the speaker verification score on each voice segment test only if the normalized verification score is at least equal to a second threshold that is at least equal to said first threshold.

25

5

10

15

20

2 - A device according to claim 1, wherein said normalization parameter updated is representative of a statistical mean value of the speaker verification score.

30

3 - A device according to claim 2, wherein said

statistical mean value $\widetilde{\mu}_{\lambda}$ of the speaker verification score S_V is updated in accordance with the following relationship:

$$\widetilde{\mu}_{\,\lambda} \; \equiv \; (1 \; - \; \tau_{\mu}) \; \widetilde{\mu}_{\,\lambda} \; + \; \tau_{\mu} \, . \, S_{V}$$

- in which τ_u is a predetermined adaptation factor.
 - 4 A device according to claim 3, wherein said predetermined adaptation factor τ_{μ} varies as a function of the number of normalization parameter updates.

10

- 5 A device according to claim 1, wherein the parameter updated is representative of the standard deviation of said speaker verification score.
- 15 6 A device according to claim 5, wherein said standard deviation $\widetilde{\sigma}_{\lambda}$ of the speaker verification score S_{V} is updated in accordance with the following relationship:

$$\tilde{\sigma}_{\lambda} \equiv \sqrt{(1 - \tau_{\sigma})\tilde{\sigma}_{\lambda}^{2} + \tau_{\sigma}(S_{V} - \tilde{\mu}_{\lambda})^{2}}$$

- in which τ_{σ} is a predetermined adaptation factor.
 - 7 A device according to claim 6, wherein said predetermined adaptation factor τ_σ varies as a function of the number of normalization parameter updates.

25

30

8 - A device according to claim 1, comprising means for updating at least one of said parameters of said acceptance voice model as a function of a preceding value of said model parameter only if the normalized verification score is at least equal to said second

threshold.

10

15

20

25

9 - A device according to claim 8, wherein said model parameter m is updated in accordance with the following equation:

$$m = \frac{N_{AP}m_{AP} + N_{adapt}m_{adapt}}{N_{AP} + N_{adapt}}$$

in which m_{AP} and N_{AP} respectively denote a mean value of Gaussian distribution of probability density of said model parameter m during said learning phase and the number of frames in voice segments used to estimate mean values of Gaussian distributions relative to said acceptance model and rejection model, m_{adapt} denotes a mean value of Gaussian distribution of probability density of said model parameter m determined during the update that has just been effected, and N_{adapt} denotes the number of frames used to estimate a mean value of the Gaussian distribution of said model parameter m for said update that has just been effected.

10 - A device according to claim 1, wherein said normalized verification score S_N is determined as a function of said speaker verification score S_V and two updated normalization parameters $\widetilde{\mu}_{\lambda}$ and $\widetilde{\sigma}_{\lambda},$ in accordance with the following equation:

$$s_N = \frac{s_V - \tilde{\mu}_{\lambda}}{\tilde{\sigma}_{\lambda}},$$

in which said parameters $\widetilde{\mu}_\lambda$ and $\widetilde{\sigma}_\lambda$ are respectively the statistical mean value and the standard deviation of said

speaker verification score.